



AAP-4G-USB-ODU-2

Outdoor Global 4G/LTE USB Modem



4G/LTE High-Speed

Max. 150 Mbps downstream and 50 Mbps upstream
Backwards compatible with UMTS/WCDMA, EDGE/GPRS



High-Speed USB

Support high-speed USB 2.0 up to 480Mbps and
backwards compatible with USB 1.0



External Antenna Connector

Standard N female antenna connector allow users
to use desired 4G antenna



Waterproof Design

Outdoor IP66 design to protect from dust, oil and water

Note: Actual mobile data performance may vary due to signal strength, coverage, operation frequencies, base station status, network congestion and the network management services over 4G LTE network.

Package Contents

- AAP-4G-USB-ODU-2 • 4G Antenna • 5 meters High-quality USB cable
- QIG • ALFA sticker • Pole Mount Strap • Driver CD




AAP-4G-USB-ODU-2 Outdoor Global 4G/LTE USB Modem

Application Scenario

- Plug in Laptop/ Computer USB port and connect to 4G/LTE tower



- 4G Mobile Internet Sharing via R36AH
(Ideal solution for home, RV and boat for multiple-user Internet access)



AAP-4G-USB-ODU-2 Outdoor Global 4G/LTE USB Modem

Specifications

Model	AAP-4G-USB-ODU-2
Band	LTE FDD: B1/B2/B3/B4/B5/B7/B8/B12/B13/B18/B19/B20/B25/B26/B28 LTE TDD: B38/B39/B40/B41 WCDMA: B1/B2/B4/B5/B6/B8/B19 GSM: B2/B3/B5/B8
Supported Country	Worldwide
Date	LTE FDD: Max 150 Mbps (DL) / Max 50 Mbps (UL) LTE TDD: Max 130 Mbps (DL) / Max 35 Mbps (UL) DC-HSDPA: Max 42 Mbps (DL) HSUPA: Max 5.76 Mbps (UL) WCDMA: Max 384 Kbps(DL)/Max 384 Mbps(UL) EDGE: Max 296 Kbps(DL)/Max 236.8 Kbps(UL) GPRS: Max 107 Kbps(DL)/Max 85.6 Kbps(UL)
Interface	Mini-USB 2.0 Standard 6 PIN SIM card
Antenna Connector	N type female
Antenna	High-gain 4G/LTE Omni Antenna
LED Indicator	Power/Connection
Waterproof IP rate	IP66
Supported System	Windows XP/Vista/7/8/8.1/10 Windows CE 5.0/6.0/7.0 Linux 2.6/3.x/4.1
Temperature Range	-40 °C ~ 80 °C
Storage Humidity	5 % ~ 98 % (Non-condensing)
Dimensions	185 x 47 mm
Weight	135 g